SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substanceHydrocarbon resinTrade name of theSYLVARES™ 525

substance

Synonyms None. SDS number 8418

 Product code
 200000000432

 Issue date
 12-January-2017

Version number 5,0

Revision date 24-May-2022 Supersedes date 24-May-2020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Industrial uses: Uses of substances as such or in preparations at industrial sites. Formulation

[mixing] of preparations and/or re-packaging (excluding alloys).

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company name Kraton Chemical B.V.

Address Transistorstraat 16, 1322 CE Almere, The Netherlands

Phone +31 36 546 2800

Email address regulatory.eu@kraton.com

1.4. Emergency telephone EU NCEC +44 1865 407 333

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary May form explosible dust-air mixture if dispersed.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Hydrocarbon resin

Hazard pictograms None.
Signal word None.

Hazard statements The substance does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information None.

2.3. Other hazards May form explosible dust-air mixture if dispersed. This mixture does not contain substances

assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Material name: SYLVARES™ 525

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Hydrocarbon resin	99-100	Proprietary	-	-	
		-			

Classification: -

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

carefully to avoid creating airborne dust.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists. Eve contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion 4.2. Most important symptoms Dusts may irritate the respiratory tract, skin and eyes.

and effects, both acute and

delaved

4.3. Indication of any Treat symptomatically.

immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

General fire hazards May form combustible dust concentrations in air.

5.1. Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

High concentration of airborne dust may form explosive mixture with air. Static charges generated by emptying package in or near flammable vapour may cause flash fire. During fire, gases hazardous to health may be formed. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Apply extinguishing media

Special fire fighting procedures

In case of fire and/or explosion do not breathe fumes. Wear suitable protective equipment. Move

containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

Avoid discharge into drains, water courses or onto the ground. 6.2. Environmental precautions

Material name: SYLVARES™ 525 SDS EU

6.3. Methods and material for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS. For personal protection, see section 8 of the SDS, For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimise dust generation and accumulation. Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Explosion-proof general and local exhaust ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. Follow all SDS/label precautions even after container is emptied because they may retain product residues.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store at ambient temperature and atmospheric pressure. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values Additional components	Туре	Value	Form
Dust	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Bulgaria. OELs. Regulation No 1 Additional components	3 on protection of workers aga Type	inst risks of exposure to che Value	mical agents at work Form
Dust	TWA	3,5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Czech Republic. OELs. Governn	nent Decree 361		
Additional components	Туре	Value	Form
Dust	TWA	5 mg/m3	Dust.
Estonia. OELs. Occupational Ex Additional components Dust	Type TWA	Value	Form
Additional components	Туре	Value	
		5 mg/m3 1 mg/m3	Fine dust, respiratory fraction Total dust.
		i mg/ms	iotai dust.
Finland Additional components	Туре	Value	
Dust			
	TWA	5 mg/m3	
		10 mg/m3	
France. Threshold Limit Values	(VLEP) for Occupational Expos	ure to Chemicals in France, I	INRS ED 984
Additional components	Type	Value	Form
Dust	VME	5 mg/m3	Respirable fraction.
Regulatory status: Regula	tory binding (VRC)		
		10 mg/m3	Inhalable fraction.
Regulatory status: Regula	tory binding (VRC)		

8418 Version #: 5,0 Revision date: 24-May-2022 Issue date: 12-January-2017

in the Work Area (DFG) Additional components	Туре	Value	Form
Dust	TWA	4 mg/m3	Inhalable dust.
Germany. TRGS 900, Limit Values Additional components	in the Ambient Air at the Workplace Type	Value	Form
 Dust	AGW	10 mg/m3	Inhalable fraction.
	,	1,25 mg/m3	Respirable fraction.
celand. OELs. Regulation 154/199 Additional components	99 on occupational exposure limits Type	Value	Form
Dust	TWA	5 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
reland. Occupational Exposure L	imits		
dditional components Type		Value Form	
Dust	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.
Latvia. OELs. Occupational expos Additional components	sure limit values of chemical substan Type	ces in work environme Value	ent Form
Dust	TWA	5 mg/m3	Dust.
Lithuania, OFLs Limit Values for	Chemical Substances, General Requ	G	
Additional components	Type	Value	Form
 Dust	TWA	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Netherlands Additional components	Туре	Value	Form
 Dust	TWA (MAC)	5 mg/m3	Respirable dust.
Sust	TWA (MAO)	10 mg/m3	Total dust.
Olavakia OELa Bandatian Na 9	00/0007	· ·	
Siovakia. OELS. Regulation No. 30 Additional components	00/2007 concerning protection of hea Type	Value	Form
 Dust	TWA	10 mg/m3	Total
		10 mg/m3	Dust.
Slovenia. OELs. Regulations cond (Official Gazette of the Republic o	cerning protection of workers agains	· ·	
Additional components	Туре	Value	Form
Dust	TWA	10 mg/m3	Inhalable fraction.
		1,25 mg/m3	Respirable fraction.
Spain. Occupational Exposure Lir	mits		
Additional components	Туре	Value	Form
Dust	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
	nt Authority (AV), Occupational Expos Type	sure Limit Values (AFS Value	2015:7) Form
	1,700		
Additional components	TWA	5 mg/m3	Inhalable dust.
Additional components		5 mg/m3 2,5 mg/m3	Respirable dust.
Additional components Dust	TWA	-	
Additional components Dust Switzerland. SUVA Grenzwerte an	TWA	-	
Additional components Dust Switzerland. SUVA Grenzwerte an Additional components	TWA n Arbeitsplatz Type	2,5 mg/m3 Value	Respirable dust.
Sweden. OELs. Work Environmen Additional components Dust Switzerland. SUVA Grenzwerte an Additional components Dust	TWA n Arbeitsplatz	2,5 mg/m3 Value 3 mg/m3	Respirable dust. Form Respirable dust.
Additional components Dust Switzerland. SUVA Grenzwerte an Additional components Dust	TWA n Arbeitsplatz Type TWA	2,5 mg/m3 Value	Respirable dust.
Additional components Dust Switzerland. SUVA Grenzwerte an Additional components	TWA n Arbeitsplatz Type TWA	2,5 mg/m3 Value 3 mg/m3	Respirable dust. Form Respirable dust.

Value **Form**

10 mg/m3 Inhalable dust.

Biological limit values

procedures

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Use personal protective equipment as required. Personal protection equipment should be chosen **General information**

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

- Other Wear suitable protective clothing.

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such Hygiene measures

as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Eye wash fountain and

emergency showers are recommended.

Environmental exposure

controls

Environmental manager must be informed of all major releases. Emissions from ventilation or work

process equipment should be checked to ensure they comply with the requirements of

environmental protection legislation. Fume scrubbers, filters or engineering modifications to the

process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid Granular. Form White. Colour Odourless. Odour Not available. Melting point/freezing point Boiling point or initial boiling Not available.

point and boiling range

Not available. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Flammability limit - upper

(%)

Not available.

230,0 °C (446,0 °F) Setaflash Closed Cup Flash point

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. pН

Solubility(ies)

Solubility (water) 0.1 %

Partition coefficient Not available.

(n-octanol/water)

Material name: SYLVARES™ 525 SDS EU **Vapour pressure** < 0,001 mm Hg at 20°C

Vapour density Not available.

Relative density 1,05 at 25°C/25°C (water=1)

Particle characteristics Not available.

Other safety characteristics

Chemical familyHydrocarbon resinDensity1050,00 kg/m3 at 20°CEvaporation rate0 (n-BuAc=1) estimatedPercent volatile0 % by weight estimated

Pounds per gallon 8,5

Softening point 90 - 100 °C (194 - 212 °F) Ring & Ball

Viscosity 5800 cP Brookfield at 125°C

Weighted solids 100 %

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stabilityMaterial is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Strong oxidising agents. Keep away from heat, sparks and open flame. Contact with incompatible

materials. Minimise dust generation and accumulation.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous

decomposition products

Upon decomposition this product emits acrid dense smoke with carbon dioxide, carbon monoxide,

water and other products of combustion.

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Dusts may irritate the respiratory tract, skin and eyes.

11.1. Information on toxicological effects

Acute toxicity No data available.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory sensitisation Not available.

Skin sensitisation This product is not expected to cause skin sensitisation.

Skin Sensitisation

Hydrocarbon resin 50 % w/w Local Lymph Node Assay - Lowest Concentration

Producing Reaction - OECD 429, Not a skin sensitizer.; Data

is for similar product. Result: Negative Species: Mouse

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

carcinogenic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not available.

Specific target organ toxicity -

repeated exposure

Not available.

Aspiration hazard Not available.

Material name: SYLVARES™ 525

8418 Version #: 5,0 Revision date: 24-May-2022 Issue date: 12-January-2017

6 / 9

Mixture versus substance information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Not available. Other information

SECTION 12: Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the 12.1. Toxicity

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow) Not available.

Not available. **Bioconcentration factor (BCF)**

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB

assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation

(EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation 12.7. Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with local regulations. Empty containers or liners may retain some Residual waste

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods/information

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number Not available. Not available.

14.2. UN proper shipping

name

14.3. Transport hazard class(es) Not available.

Subsidiary risk

Not available. Hazard No. (ADR) Tunnel restriction code Not available. 14.4. Packing group Not available.

14.5. Environmental hazards No.

Not available. 14.6. Special precautions

for user

RID

Not available. 14.1. UN number 14.2. UN proper shipping Not available.

name

14.3. Transport hazard class(es)

Not available.

Subsidiary risk

Not available. 14.4. Packing group

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

Material name: SYLVARES™ 525 SDS EU

ADN

14.1. UN number Not available. 14.2. UN proper shipping Not available.

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk

Not available. 14.4. Packing group

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

IATA

14.1. UN number Not available. Not available. 14.2. UN proper shipping

14.3. Transport hazard class(es)

Not available. **Class**

Subsidiary risk

Not available. 14.4. Packing group

14.5. Environmental hazards No.

14.6. Special precautions Not available.

for user

IMDG

Not available. 14.1. UN number Not available. 14.2. UN proper shipping

name

14.3. Transport hazard class(es)

Class Not available.

Subsidiary risk

14.4. Packing group Not available.

14.5. Environmental hazards Marine pollutant No.

Not available. **EmS** Not available. 14.6. Special precautions

for user

14.7. Transport in bulk Not applicable.

according to Annex II of MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation)

as amended.

National regulations

15.2. Chemical safety

assessment

Follow national regulation for work with chemical agents. No Chemical Safety Assessment has been carried out.

Water hazard class

WGK1 **AwSV**

SECTION 16: Other information

List of abbreviations Not available. Not available. References

Information on evaluation method leading to the classification of mixture

Not applicable.

Full text of any H-statements not written out in full under

Sections 2 to 15

None

Revision information

SECTION 2: Hazards identification: 2,3. Other hazards

SECTION 8: Exposure controls/personal protection: Environmental exposure controls

SECTION 11: Toxicological information: Endocrine disrupting properties SECTION 12: Ecological information: 12,6. Endocrine disrupting properties SECTION 12: Ecological information: 12,5. Results of PBT and vPvB assessment

SECTION 16: Other information: Disclaimer

Training information

Disclaimer

Follow training instructions when handling this material.

KRATON CORPORATION urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information set forth in this document, as of the date of this document, is based on present knowledge, obtained from reliable sources and made to our reasonable ability and in good faith. Such information is made without any warranty or quarantee whatsoever, and shall establish no legal duty or responsibility on the part of the author(s), their employer or its affiliates. The information given is designed only as guidance and its completeness is not guaranteed. The information is not a quarantee of any specific product properties, features, qualities or specifications.

The information relates only to the specific product designated as shipped, and may not be valid for such product used in combination with any other materials or products, or in any process, unless expressly specified in this document. Nothing set forth in this document shall be construed as a recommendation or license to use any product in conflict with, or as claimed by, any existing patents rights. The user alone must finally determine whether a contemplated use of a product will infringe any such patents. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities are in compliance with all Local, Federal and International Legislation and Local Permits.

We, for ourselves and on behalf of our affiliates, expressly disclaim any and all liability for any damages or injuries arising out of any activities relating in any way to the information set forth in this document. Due to the proliferation of sources for information, we are not and cannot be responsible for SDSs obtained from any other source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

*KRATON, the KRATON logo, the "Green Super Drop" logo, 1101, ABIETA, AQUATAC, BiaXam, BI-THIN, CENTURY, CENWAX, CirKular+, ELEXAR, ELLAMERA, E-LEXAR, HiMA, IMSS, IPD, NEXAR, PER-SUST, PriMul, RAD-THICK, REFLECTAID, REvolution, SYLFAT, SYLVABIND, SYLVABLEND, SYLVACLEAR, SYLVACOTE, SYLVADERM, SYLVAFUEL, SYLVAGEL, SYLVAGUM, SYLVALITE, SYLVAMIN, SYLVAPINE, SYLVAPRINT, SYLVARES, SYLVAROAD, SYLVAROS, SYLVASOLV, SYLVATAC, SYLVATAL, SYLVATRAXX, TER-SET, UNICLEAR, UNIDYME, UNIFLEX, UNI-REZ, UNI-TAC, and ZONATAC are either trademarks or registered trademarks of Kraton Corporation, or its subsidiaries or affiliates, in one or more, but not all countries.

©2016-2022 Kraton Corporation

Material name: SYLVARES™ 525